

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Problem Image Mailbox.**




FIG. 1




FIG. 2

2/5




FIG. 3




FIG. 4





FIG. 5

3/5



Short axis reformat view

Regional Quantification

FIG. 6 Result of energy discrimination analysis on multi-energy CT images to identify perfusion defects in myocardial tissue

4/5




FIG. 7 System for acquisition and analysis of multi-energy CT exams for cardiac function analysis.




FIG. 8 Results of delineation of the ventricular myocardium from the contrast-filled blood using multi-energy CT scans. First, each of the ventricles is separated from the surrounding anatomy (example shows left ventricle separation), followed by separation of contrast-filled blood from the ventricular tissue. This is done at both end diastole and end systole.

5/5




FIG. 9

Examples of accurate diagnoses by energy discrimination analysis on multi-energy CT exams.
a. Transmural infarction; b. Sub-endocardial infarction; c. Hypertrophic cardiomyopathy;
d. Myocardial ischemia and injury.